

ТЕХНИЧКА СПЕЦИФИКАЦИЈА

Ред. број	НАЗИВ	МИНИМАЛНЕ ЗАХТЕВАНЕ ТЕХНИЧКЕ КАРАКТЕРИСТИКЕ	Количина																																																																				
1.	HP 280 G1 MT (K8K50ES)	<table border="1"> <tr> <td>Tip konfiguracije</td> <td>Intel konfiguracija sa OS</td> </tr> <tr> <td>Procesor</td> <td>Intel Pentium G3250</td> </tr> <tr> <td>Tip procesora (CPU – Intel)</td> <td>Pentium</td> </tr> <tr> <td>Broj jezgara</td> <td>Dual-core</td> </tr> <tr> <td>Takt procesora</td> <td>3.2 GHz</td> </tr> <tr> <td>Chipset (Intel)</td> <td>H81</td> </tr> <tr> <td>Socket (Intel)</td> <td>Intel Socket 1150</td> </tr> <tr> <td>Integrirana grafika</td> <td>Da</td> </tr> <tr> <td>Grafička kartica</td> <td>Integrirana Intel HD Graphics</td> </tr> <tr> <td>Kapacitete memorije</td> <td>4 GB</td> </tr> <tr> <td>Tip memorije</td> <td>DDR</td> </tr> <tr> <td>Takt memorije</td> <td>1600 MHz</td> </tr> <tr> <td>Format HDD-a</td> <td>3,5"</td> </tr> <tr> <td>Kapacitet HDD-a</td> <td>500 GB</td> </tr> <tr> <td>HDD Konekcija</td> <td>SATA</td> </tr> <tr> <td>Brzina obrtaja HDD-a</td> <td>7200</td> </tr> <tr> <td>Optički uređaj</td> <td>DVD +/- RW</td> </tr> <tr> <td>Komunikacija</td> <td>10/100/1000 LAN</td> </tr> <tr> <td>Portovi</td> <td>RJ-45, VGA, DVI</td> </tr> <tr> <td>Expansion Slot</td> <td>1 x PCIe1, 1 x PCIe16</td> </tr> <tr> <td>Broj USB 2.0 portova</td> <td>6x</td> </tr> <tr> <td>Broj USB 3.0 portova</td> <td>2x</td> </tr> <tr> <td>Audio</td> <td>Mikrofonski ulaz, Izlaz za slušalice, Audio in, Audio out, Integrated Realtek ALC 221 HD audio with internal speaker (all ports are stereo)</td> </tr> <tr> <td>Tastatura</td> <td>USB</td> </tr> <tr> <td>Miš</td> <td>USB</td> </tr> <tr> <td>Tip kućišta</td> <td>Micro tower</td> </tr> <tr> <td>Napajanje</td> <td>180 W standard efficiency, active PFC, 180 W, up to 85% efficient, active PFC</td> </tr> <tr> <td>Dužina</td> <td>355mm</td> </tr> <tr> <td>Širina</td> <td>165mm</td> </tr> <tr> <td>Visina</td> <td>359mm</td> </tr> <tr> <td>Težina</td> <td>7.05kg</td> </tr> <tr> <td>Operativni sistem</td> <td>Free DOS</td> </tr> <tr> <td>Garancija</td> <td>24 meseca</td> </tr> <tr> <td>Certifikati</td> <td>CECP (for 2015 cycle)</td> </tr> </table>	Tip konfiguracije	Intel konfiguracija sa OS	Procesor	Intel Pentium G3250	Tip procesora (CPU – Intel)	Pentium	Broj jezgara	Dual-core	Takt procesora	3.2 GHz	Chipset (Intel)	H81	Socket (Intel)	Intel Socket 1150	Integrirana grafika	Da	Grafička kartica	Integrirana Intel HD Graphics	Kapacitete memorije	4 GB	Tip memorije	DDR	Takt memorije	1600 MHz	Format HDD-a	3,5"	Kapacitet HDD-a	500 GB	HDD Konekcija	SATA	Brzina obrtaja HDD-a	7200	Optički uređaj	DVD +/- RW	Komunikacija	10/100/1000 LAN	Portovi	RJ-45, VGA, DVI	Expansion Slot	1 x PCIe1, 1 x PCIe16	Broj USB 2.0 portova	6x	Broj USB 3.0 portova	2x	Audio	Mikrofonski ulaz, Izlaz za slušalice, Audio in, Audio out, Integrated Realtek ALC 221 HD audio with internal speaker (all ports are stereo)	Tastatura	USB	Miš	USB	Tip kućišta	Micro tower	Napajanje	180 W standard efficiency, active PFC, 180 W, up to 85% efficient, active PFC	Dužina	355mm	Širina	165mm	Visina	359mm	Težina	7.05kg	Operativni sistem	Free DOS	Garancija	24 meseca	Certifikati	CECP (for 2015 cycle)	8 комада
Tip konfiguracije	Intel konfiguracija sa OS																																																																						
Procesor	Intel Pentium G3250																																																																						
Tip procesora (CPU – Intel)	Pentium																																																																						
Broj jezgara	Dual-core																																																																						
Takt procesora	3.2 GHz																																																																						
Chipset (Intel)	H81																																																																						
Socket (Intel)	Intel Socket 1150																																																																						
Integrirana grafika	Da																																																																						
Grafička kartica	Integrirana Intel HD Graphics																																																																						
Kapacitete memorije	4 GB																																																																						
Tip memorije	DDR																																																																						
Takt memorije	1600 MHz																																																																						
Format HDD-a	3,5"																																																																						
Kapacitet HDD-a	500 GB																																																																						
HDD Konekcija	SATA																																																																						
Brzina obrtaja HDD-a	7200																																																																						
Optički uređaj	DVD +/- RW																																																																						
Komunikacija	10/100/1000 LAN																																																																						
Portovi	RJ-45, VGA, DVI																																																																						
Expansion Slot	1 x PCIe1, 1 x PCIe16																																																																						
Broj USB 2.0 portova	6x																																																																						
Broj USB 3.0 portova	2x																																																																						
Audio	Mikrofonski ulaz, Izlaz za slušalice, Audio in, Audio out, Integrated Realtek ALC 221 HD audio with internal speaker (all ports are stereo)																																																																						
Tastatura	USB																																																																						
Miš	USB																																																																						
Tip kućišta	Micro tower																																																																						
Napajanje	180 W standard efficiency, active PFC, 180 W, up to 85% efficient, active PFC																																																																						
Dužina	355mm																																																																						
Širina	165mm																																																																						
Visina	359mm																																																																						
Težina	7.05kg																																																																						
Operativni sistem	Free DOS																																																																						
Garancija	24 meseca																																																																						
Certifikati	CECP (for 2015 cycle)																																																																						

		<p>SEPA (for 2015 cycle) WEEE (Waste, Electric and electronic equipment)</p> <p>ENERGY STAR 6.0 CEL Level 1 FCC UL</p>																																																																			
2.	<p>HP DES 3500 MT i3-3240 4G500, G9E18EA</p>	<table border="1"> <tr> <td>OS</td> <td>Free DOS</td> </tr> <tr> <td>CPU brand</td> <td>Intel</td> </tr> <tr> <td>CPU tip</td> <td>Intel® Core™ i3</td> </tr> <tr> <td>CPU model</td> <td>Intel Core i3-3240</td> </tr> <tr> <td>CPU brzina [GHz]</td> <td>3,40</td> </tr> <tr> <td colspan="2"> </td> </tr> <tr> <td>L3 Cache</td> <td>3 MB</td> </tr> <tr> <td>Chipset</td> <td>Intel H61 Express</td> </tr> <tr> <td>Socket</td> <td>1155</td> </tr> <tr> <td>Količina memorije</td> <td>1x 4 GB</td> </tr> <tr> <td>Tip memorije</td> <td>DDR3</td> </tr> <tr> <td>Takt memorije [MHz]</td> <td>1600</td> </tr> <tr> <td>Broj memorijskih slotova</td> <td>2</td> </tr> <tr> <td>Maksimalna količina memorije [GB]</td> <td>8</td> </tr> <tr> <td>Grafička kartica</td> <td>Integrirana</td> </tr> <tr> <td>Model grafičke kartice</td> <td>Intel HD Graphics 2500</td> </tr> <tr> <td>Tip hard diska</td> <td>SATA</td> </tr> <tr> <td>Veličina diska [GB]</td> <td>500</td> </tr> <tr> <td>Broj obrtaja diska</td> <td>7.200 o/min</td> </tr> <tr> <td>Optički uređaj</td> <td>DVD±RW</td> </tr> <tr> <td>Zvučna kartica</td> <td>Realtek ALC656</td> </tr> <tr> <td>Mrežna kartica - brzina [Mbit]</td> <td>10/100/1000</td> </tr> <tr> <td>Kućište - veličina</td> <td>Microtower</td> </tr> <tr> <td>Napajanje [W]</td> <td>180</td> </tr> <tr> <td>5,25" spoljni slot</td> <td>1</td> </tr> <tr> <td>3,5" unutrašnji slot</td> <td>1</td> </tr> <tr> <td>Zadnji panel</td> <td>1x RJ45 4 x USB 2.0 Audio In/Out DVI VGA</td> </tr> <tr> <td>Prednji panel</td> <td>2x USB 2.0 Audio In/out</td> </tr> <tr> <td>Interni konektori</td> <td></td> </tr> <tr> <td>Slotovi za nadogradnju</td> <td>1x MiniPCI 1x PCIe x 16 3x PCIe x 1</td> </tr> <tr> <td>Miš</td> <td>USB Optical Mouse</td> </tr> <tr> <td>Tastatura</td> <td>USB Standard Value Keyboard</td> </tr> <tr> <td colspan="2"> <p>Dimensions 16.5 x 38.9 x 36.8 cm, Weight 6.93 kg Exact weight depends on configuration Operating Humidity Range 10 to 90% RH Operating Temperature Range 0 to 40°C Warranty 1-year (1-1-1) limited warranty and service offering</p> </td> </tr> </table>	OS	Free DOS	CPU brand	Intel	CPU tip	Intel® Core™ i3	CPU model	Intel Core i3-3240	CPU brzina [GHz]	3,40			L3 Cache	3 MB	Chipset	Intel H61 Express	Socket	1155	Količina memorije	1x 4 GB	Tip memorije	DDR3	Takt memorije [MHz]	1600	Broj memorijskih slotova	2	Maksimalna količina memorije [GB]	8	Grafička kartica	Integrirana	Model grafičke kartice	Intel HD Graphics 2500	Tip hard diska	SATA	Veličina diska [GB]	500	Broj obrtaja diska	7.200 o/min	Optički uređaj	DVD±RW	Zvučna kartica	Realtek ALC656	Mrežna kartica - brzina [Mbit]	10/100/1000	Kućište - veličina	Microtower	Napajanje [W]	180	5,25" spoljni slot	1	3,5" unutrašnji slot	1	Zadnji panel	1x RJ45 4 x USB 2.0 Audio In/Out DVI VGA	Prednji panel	2x USB 2.0 Audio In/out	Interni konektori		Slotovi za nadogradnju	1x MiniPCI 1x PCIe x 16 3x PCIe x 1	Miš	USB Optical Mouse	Tastatura	USB Standard Value Keyboard	<p>Dimensions 16.5 x 38.9 x 36.8 cm, Weight 6.93 kg Exact weight depends on configuration Operating Humidity Range 10 to 90% RH Operating Temperature Range 0 to 40°C Warranty 1-year (1-1-1) limited warranty and service offering</p>		<p>3 комада</p>
OS	Free DOS																																																																				
CPU brand	Intel																																																																				
CPU tip	Intel® Core™ i3																																																																				
CPU model	Intel Core i3-3240																																																																				
CPU brzina [GHz]	3,40																																																																				
L3 Cache	3 MB																																																																				
Chipset	Intel H61 Express																																																																				
Socket	1155																																																																				
Količina memorije	1x 4 GB																																																																				
Tip memorije	DDR3																																																																				
Takt memorije [MHz]	1600																																																																				
Broj memorijskih slotova	2																																																																				
Maksimalna količina memorije [GB]	8																																																																				
Grafička kartica	Integrirana																																																																				
Model grafičke kartice	Intel HD Graphics 2500																																																																				
Tip hard diska	SATA																																																																				
Veličina diska [GB]	500																																																																				
Broj obrtaja diska	7.200 o/min																																																																				
Optički uređaj	DVD±RW																																																																				
Zvučna kartica	Realtek ALC656																																																																				
Mrežna kartica - brzina [Mbit]	10/100/1000																																																																				
Kućište - veličina	Microtower																																																																				
Napajanje [W]	180																																																																				
5,25" spoljni slot	1																																																																				
3,5" unutrašnji slot	1																																																																				
Zadnji panel	1x RJ45 4 x USB 2.0 Audio In/Out DVI VGA																																																																				
Prednji panel	2x USB 2.0 Audio In/out																																																																				
Interni konektori																																																																					
Slotovi za nadogradnju	1x MiniPCI 1x PCIe x 16 3x PCIe x 1																																																																				
Miš	USB Optical Mouse																																																																				
Tastatura	USB Standard Value Keyboard																																																																				
<p>Dimensions 16.5 x 38.9 x 36.8 cm, Weight 6.93 kg Exact weight depends on configuration Operating Humidity Range 10 to 90% RH Operating Temperature Range 0 to 40°C Warranty 1-year (1-1-1) limited warranty and service offering</p>																																																																					

		includes 1 year of parts, labor and on-site repair. Terms and conditions vary by country. Certain restrictions and exclusions apply																											
3.	LG 22" LED LCD monitor 22M35 A-B	<table border="1"> <tr> <td>Dijagonala</td> <td>21.5", 16:9</td> </tr> <tr> <td>Rezolucija</td> <td>1920 x 1080</td> </tr> <tr> <td>Tip osvetljenja</td> <td>LED</td> </tr> <tr> <td>Osvetljenost</td> <td>200 cd/m2</td> </tr> <tr> <td>Kontrast</td> <td>5.000.000:1</td> </tr> <tr> <td>Vreme odziva</td> <td>5 ms</td> </tr> <tr> <td>Ugao vidljivosti H/V</td> <td>90° / 65°</td> </tr> <tr> <td>VGA (D-Sub)</td> <td>Da</td> </tr> <tr> <td>Ostalo</td> <td>Potrošnja: 18W Potrošnja u režimu uštede energije: 0.3W</td> </tr> <tr> <td>Boja</td> <td>Crna</td> </tr> <tr> <td>Dimenzije sa postoljem (ŠxVxD)</td> <td>50.9 x 31.6 x 6.8 cm</td> </tr> <tr> <td>VESA Montaža</td> <td>75x75mm</td> </tr> <tr> <td>Garancija proizvođača</td> <td>36 meseci</td> </tr> </table>	Dijagonala	21.5", 16:9	Rezolucija	1920 x 1080	Tip osvetljenja	LED	Osvetljenost	200 cd/m2	Kontrast	5.000.000:1	Vreme odziva	5 ms	Ugao vidljivosti H/V	90° / 65°	VGA (D-Sub)	Da	Ostalo	Potrošnja: 18W Potrošnja u režimu uštede energije: 0.3W	Boja	Crna	Dimenzije sa postoljem (ŠxVxD)	50.9 x 31.6 x 6.8 cm	VESA Montaža	75x75mm	Garancija proizvođača	36 meseci	5 комада
Dijagonala	21.5", 16:9																												
Rezolucija	1920 x 1080																												
Tip osvetljenja	LED																												
Osvetljenost	200 cd/m2																												
Kontrast	5.000.000:1																												
Vreme odziva	5 ms																												
Ugao vidljivosti H/V	90° / 65°																												
VGA (D-Sub)	Da																												
Ostalo	Potrošnja: 18W Potrošnja u režimu uštede energije: 0.3W																												
Boja	Crna																												
Dimenzije sa postoljem (ŠxVxD)	50.9 x 31.6 x 6.8 cm																												
VESA Montaža	75x75mm																												
Garancija proizvođača	36 meseci																												
4.	DELL LED TFT 23.8" P2414H Full HD	<p> Dijagonala - 23.8" Pozadinsko osvetljenje - LED Tip panela - IPS Rezolucija - 1920 x 1080 Full HD Vreme Odziva - 8ms Osvežavanje - 60 Hz Veličina piksela - 0.2745 mm Osvetljenje - 250 cd/m2 (typical) Kontrast - 1000: 1 (typical) Dinamički kontrast - 2 Million:1 (Max) Ugao vidljivosti - Horizontalno 178° Ugao vidljivosti - Vertikalno 178° VGA(D-Sub) - Da DVI - Da Display port - Da USB - Da Ostalo: Height-adjustable stand, pivot, tilt , swivel and built in cable-management Garancija proizvođača: 36 Meseci DIMENSIONS: Dimensions with stand (H x W x D): </p>	3 комада																										

369.0 mm ~ 499.0 mm (14.53" ~ 19.65") x 565.6 mm (22.27") x 180.0 mm (7.09")

Dimensions without stand (H x W x D):

335.1 mm (13.19") x 565.6 mm (22.27") x 47.0 mm (1.85")

Preset Display Area(H X V):

527.04 mm x 296.46 mm

20.75" x 11.67"

Weight (panel only - for VESA mount):

3.51kg (7.72 lbs)

Weight (with packaging):

7.79kg (17.14 lbs)

POWER:

Voltage Required:

100 to 240 VAC / 50 or 60 Hz \pm 3Hz / 1.2 A (typical)

Power Consumption (Operational):

28W (typical) / 45W (maximum)

Power Consumption Stand by / Sleep:

Less than 0.3 W

ENVIRONMENTAL:

Temperature Range Operating:

0° to 40°C (32° to 104°F)

Temperature Range Non-operating:

Storage : -20° to 60° (-4° to 140° F)

Shipping : -20° to 60° (-4° to 140° F)

Humidity Range Operating:

10% to 80% (non-condensing)

Humidity Range Non-operating:

Storage : 5% to 90% (non-condensing)

Shipping : 5% to 90% (non-condensing)

Altitude Operating:

5,000 m (16,400 ft) max

Altitude Non-operating:

12,192 m (40,000 ft) max

REGULATORY:

ENERGY STAR 6

EPEAT Gold

CECP

RoHS Compliant

TCO Certified Displays

Product Safety, EMC and Environmental Datasheets

Dell Regulatory Compliance Home Page

Dell and the Environment

WHAT'S IN THE BOX:

Monitor with stand

Cable cover

Power cable

DP cable

USB cable

VGA cable

Drivers and documentation media

		<p>Quick setup guide Safety information</p>	
5.	HP Color LaserJet Pro MFP M177fw	<p>Funkcije: Print, copy, scan, fax Multitasking supported - DA</p> <p>Brzina crno-belog štampanja: Normalno: Do 16 ppm Brzina štampanja u boji: Normalno:Do 4 ppm</p> <p>Prva izlazna stranica (spremna) Crno-belo: As fast as 16 sec U boji: As fast as 27.5 sec Radni ciklus (mesečni, A4) Up to 20000 pages Preporučena mesečna količina stranica 250 to 950</p> <p>Print technology</p> <p>Laser Print quality black (best) Up to 600 x 600 dpi quality (2400 dpi effective output with ImageREt 2400) Print quality color (best) Up to 600 x 600 dpi quality (2400 dpi effective output with ImageREt 2400) Print languages: PCLm/PCLmS Display : 7.6 cm colour touchscreen Processor speed : 600 MHz Automatic paper sensor: No</p> <p>Mogućnost povezivanja: HP ePrint , ePrint capability - Yes Mogućnost štampanja sa mobilnog uređaja ePrint, Wireless direct printing, Apple AirPrint™, Mobile Apps Wireless capability - Da, ugrađen WiFi 802.11b/g/n</p> <p>Connectivity, standard</p> <ul style="list-style-type: none"> •Hi-Speed USB 2.0 port •built-in Fast Ethernet 10/100Base-TX network port •Wireless 802.11b/g/n <p>Network ready Standard (built-in Fast Ethernet, WiFi 802.11 b/g/n)</p> <p>Minimalni sistemski zahtevi</p> <ul style="list-style-type: none"> •Windows 8 (32/64-bit), Windows 7 (32/64-bit), Windows Vista (32/64-bit), Windows XP 32-bit (SP2 or higher) •200 MB available hard disk space (CD and Web Package) •400 MB available hard disk space (Box Spec for Smart Install) •512 MB RAM installed, CD-ROM/DVD or internet, USB or Network port <ul style="list-style-type: none"> •Mac OS X v10.6 •PowerPC G4, G5, or Intel® Core™ Processor •500 MB available hard disk space •CD-ROM/DVD-ROM or Internet •USB or Network port 	1. комад

Kompatibilni operativni sistemi:

Full software installs supported on: Windows 8 (32-bit/64-bit), Windows 7 (32-bit/64-bit), Windows Vista (32-bit/64-bit), Windows XP (32-bit) (SP2 or higher)

Driver only installs supported on: Windows 2012

Windows Server 2008 (32-bit/64-bit), Windows Server 2008 R2 (x64) (SP1), Windows Server 2008 (Standard Edition), Windows Server 2008 (Enterprise Edition), Windows Server 2003 (32-bit/64-bit) (SP1 or higher), Windows XP (64-bit) (SP2 or higher)

Mac OS X v10.6.8 or higher

**Linux: Please check Linux on-line support:
hplipopensource.com/hplip-web/install.html**

Specifikacije memorije:

Memory, standard - 128 MB

Maksimalna memorija - 128 MB

Specifikacije skenera:

Scanner type

Flatbed, ADF

Scan file format

Windows Scan Software supports file format: JPG, RAW (BMP), PDF, TIFF, PNG; Mac Scan Software supports file format: TIFF, PNG, JPEG, JPEG-2000, PDF, PDF-Searchable, RTF, TXT

Scan resolution, optical - Do 1200 dpi

Scan size (flatbed), maximum - 216 x 297 mm

Scan size (ADF), maximum - 216 x 356 mm

Veličina skeniranja (ADF), minimalna - 152 x 114 mm

Brzina skeniranja (normalna, A4) - Up to 7.5 ipm (monochrome), up to 5.5 ipm (colour)

Duplex ADF scanning - No

Automatic document feeder capacity - Standard, 35 sheets

Digital sending standard features

•Scan to e-mail by; scan to application by HP Software ; scan to file by HP Software

File formats, supported

- PDF**
- TIF**
- BMP**
- PNG**
- JPG**

Scan input modes

•Scanning via HP LaserJet scan application or TWAIN—or WIA-compliant application software

Specifikacije kopir aparata:

Brzina kopiranja (normalna)

Crno-belo: Do 16 cpm

U boji: Do 4 cpm

Copy resolution (black text) - Up to 300 x 300 dpi

		<p>Copy resolution (color text and graphics) - Up to 300 x 300 dpi Copy reduce / enlarge settings - 25 to 400% Copies, maximum - Do 99 kopija</p> <p>Specifikacije faksa:</p> <p>Faxing - Yes Brzina slanja faksa - 33.6 kbps Fax memory - Up to 500 pages Fax resolution - Up to 300 x 300 dpi Speed dials, maximum number - Up to 100 numbers Broadcast locations - 100 lokacija</p> <p>Zahtevi za napajanje i rad:</p> <p>Power Input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz) Potrošnja energije - 290 watts (Printing), 200 watts (Copying), 9.2 watts (Ready), 1.3 watts (Sleep/Auto-Off), 0.2 watts (Manual Off) Energy efficiency •ENERGY STAR® qualified Operating temperature range - 15 to 30°C Operating humidity range - 30 to 70% RH Emisije akustične snage (spremno) Emisije akustičnog pritiska u položaju posmatrača (aktivno, štampa se) - 49 dB(A)</p> <p>Dimenzije i težina:</p> <p>Minimalne dimenzije (Š x D x V) 423 x 425 x 335 mm Maksimalne dimenzije (Š x D x V) 423 x 484 x 335 mm Težina - 16 kg Package weight - 19.6 kg</p>	
6.	Mustek ScanExpress A3 2400S	<p>Model 2400s Flatbed Da Senzor CIS Optička rezolucija 2400 x 2400 dpi Boje 48-bit Format A3 Povezivanje USB 2.0 Kompatibilnost Windows 7 / Vista, Mac OS X 10.4-10.7</p>	1 КОМАНД
		<p>Usage Application Client PCs Capacity 120GB, Dimension (W x H x D) 100 x 69.85 x 6.8 (mm) Interface SATA 6Gb/s (compatible with SATA 3Gb/s and SATA 1.5Gb/s) Form factor 2.5 inch</p>	

7.	SSD Samsung 120GB 850 EVO Basic	<p>Controller 120: Samsung MGX controller</p> <p>NAND Flash Memory Samsung 32 layer 3D V-NAND</p> <p>DRAM Cache Memory 256MB (120GB)</p> <p>Performance* Sequential Read Max. 540 MB/s</p> <p>Sequential Write** Max. 520 MB/s</p> <p>4KB Random Read (QD1) Max. 10,000 IOPS</p> <p>4KB Random Write (QD1) Max. 40,000 IOPS</p> <p>4KB Random Read (QD32) Max. 98,000 IOPS(500GB/1TB) Max. 97,000 IOPS(250GB) Max. 94,000 IOPS(120GB)</p> <p>4KB Random Write (QD32) Max. 90,000 IOPS(500GB/1TB) Max. 88,000 IOPS(120GB/250GB)</p> <p>Data Security AES 256-bit Full Disk Encryption (FDE) TCG/Opal V2.0, Encrypted Drive(IEEE1667)</p> <p>Weight Max. 66g (1TB)</p> <p>Reliability MTBF: 1.5 million hours</p> <p>TBW 120/250GB: 75TBW</p> <p>Power Consumption*** Active Read/Write (Average): Max. 3.7W(1TB) / Max. 4.4W(1TB) Idle: Max. 50mW Device Sleep: 2mW(120/250/500GB), 4mW(1TB)</p> <p>Supporting features TRIM(Required OS support), Garbage Collection, S.M.A.R.T.</p> <p>Temperature Operating: 0°C to 70°C Non-Operating: -40°C to 85°C</p> <p>Humidity 5% to 95%, non-condensing</p> <p>Vibration Non-Operating: 20~2000Hz, 20G</p> <p>Shock Non-Operating: 1500G, duration 0.5m sec, 3 axis</p> <p>Warranty 5 Years Limited</p>	3 комада
8.	10000 mAh power bank	<p>Battery capacity : 10000mAh</p> <p>Power input: 5 V DC, 1.2 A</p> <p>Power output: 5 V, up to 1.2A/5V, up to 2.1 A</p> <p>Recharging time: 8 hrs</p> <p>Connector types: Nokia &101, Sony K750, LG G600, Samsung D800 and all Mini-USB or Micro-USB phone models (e.g. Blackberry)</p> <p>Dimensions : 123x76x23.5 mm (LxWxH)</p> <p>Net Weight : 255g</p>	1 комад